

## Module B EU Type-Examination Certificate

For the requirements of PPE Regulation 2016/425

Certificate No.: CE-C-1018-19-207-02-9A

Certificate holder:

Product: Protective gloves against mechanical risks

Detailed product description listed in the Annex

Model(s): DQ608B

**Standard(s):** EN 420:2003+A1:2009 Protective gloves - General requirements and

test methods

EN 388:2016 Protective gloves against mechanical risks

**Issue date:** 2019-10-30

**Revision date:** 2019-10-30

**Expiry date:** 2024-10-29

The product(s) on this certificate and the Technical File have been assessed and found to be in conformance with the applicable Essential Health and Safety Requirements in Annex II of the PPE regulation 2016/425.

Any changes to the design, manufacturing location or manufacture of the PPE product certified here must be advised to CCQS UK Ltd. for review.

CE marking shall not be applied until the requirements of all the PPE Regulation 2016/425 and relevant EN Harmonised standards and/or Technical specifications have been met.

If the certified product is Category III then this certificate is only valid if used in conjunction with Conformity Assessment against Module C2 or Module D.

This certificate remains the property of CCQS and maybe withdrawn at any time if it is considered that the equipment is no longer in conformity with the requirements of the PPE Regulation 2016/425.



Approved by UK Government as a Notified Body for CE Marking No.1105



Approved by:

JY.Liu - Managing Director

## CCQS UK Ltd.



## Module B EU Type-Examination Certificate Annex

For the requirements of PPE Regulation 2016/425

Certificate No.: CE-C-1018-19-207-02-9A

## Applicable standards and specification:

EN 420:2003+A1:2009 Protective gloves - General requirements and test methods EN 388:2016 Protective gloves against mechanical risks

| Model reference | Product description   |   |  |
|-----------------|---|---|--|
| DQ608B          | Nylon liner with nitrile coating on palm and fingers        | vlon liner with nitrile coating on palm and fingers |  |
|                 | Protective gloves against mechanical risks, classification: | 4121X   |  |

| Certificate Revision | Revision details | Revision date |
|----------------------|------------------|---------------|
| A                    | Initial issue    | 2019-10-30    |
| 6                    | 9                | 6 6           |
| ~O.                  | 7.O-             | - 20°         |