

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016
on personal protective equipment and repealing Council Directive 89/686/EEC

A.N.C.I. Servizi s.r.l. a socio unico - sezione C.I.M.A.C.
Community Identification N° 0465

Grants to:

Manufacturer :

COFRA S.R.L.
VIA DELL'EURO 53-57-59
76121 BARLETTA BT

EU TYPE-EXAMINATION CERTIFICATE MODULE B N° F-100-00113-18

for the following model of Personal Protective Equipment

Design: D - Knee-height boot
Article: ELECTRICAL SAFEST YELLOW - 930
Category of PPE: II
Additional requirements: SB E P FO CI SRC

safety footwear for professional use according to
EN ISO 20345:2011 standard

Picture of the basic model



EU TYPE-EXAMINATION CERTIFICATE N° F-100-00113-18 of 29-03-2018 - Prot. N. 2018/0438-1

Page. 1 of 3

Manufacturer's identification mark:	COFRA	
Classification:	II - Footwear entirely made of rubber (i.e. entirely vulcanized) or entirely made of polymeric material (i.e. fully formed)	
Size range:	From 36 to 48	
Identification of last:	D	
Manufacturing process:	Injection	
The footwear has a:	non-metallic toecap non-metallic penetration-resistant insert removable insock	cod. "AA003 (Leonplastic C12)" cod. "OSAZI.xxx.F03-TEXON KNOX" cod. "SP119"
Additional requirements:	<ul style="list-style-type: none"> - heel area closed; - energy absorption of seat region; - penetration resistance of sole complex; - fuel oil resistant outsole; - cold insulation of sole complex; - cleated outsole. 	
Test Reports:	The results of tests and examinations are contained in the following test reports:	
	RP 2016\0827-1-RP-2	dated 09/05/2016
	RP 2016\0827-1-RP-3	dated 09/05/2016
	RP 2016\0827-1-RP-4	dated 09/05/2016

Marking:

The label inside the footwear shows the following information:

CE Marking (at least 5mm high)
CE0465 (III category only)
Name and postal address of the Manufacturer
manufacturer's type designation
the number and year of the reference European standard
Category and additional requirements of the PPE
Harmonized pictogram
Month and year of fabrication
Size
Batch number
Reference of informative note

Validity conditions: This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal. The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date.

All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC.

This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY".

This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.

Vigevano, 29/03/2018

Technical Responsible
Ing. Giuseppe Bellotti

First issue date: 29-03-2018
Revision date:
Valid from: 21-04-2018
Expiry date: 21-04-2023

